

SJT- EPB

VL. 3

SJT	1.1	110V
-----	-----	------

110V

110

220:220V

SJT

(MODEL): SJT-EPB110

(INPUT): AC220V 1A

(S/N) (MASS): 4.5K σ

(S/N) (MISS): 158K_g

(MASS): 4.5Kg

1.3


SJT

1.1


1.1

		SJT	EPB110	SJT	EPB220
	W	450		450	
	V	110		220	
	A				

1.4



1.3



1.4

2

2.1

2.1

2.1

J1-1	AC220V	220V
J1-2	AC220V	220V
J1-3	DC110V + DC220V +	+
J1-4	DC110V - DC220V -	-
J3-1	24V	24V
J3-2	24V	24V
J3-3		
J3-4	+	
J3-5	-	
J3-6	+	
J3-7	-	
J4-1	+	+
J4-2	-	-
J4-3	+	+
J4-4	-	-
J4-5	+	+
J4-6	-	-

2.2


2.2.1 J1

J1	DC110V	DC220V	AC220V	220V	220V
	DC110V	DC220V			




2.2.2.2

1



2.3 1


2



2.4 2

3

K24V- 24V KGND-



2.5 3


SJT

2.3

1. 220V
- 2.
3.
 - 1)
 - 2)
 - 3)
 - 4)
 - 5)
 - 6)

3

3 5 LED 3.1



3.1

3.1 LED



3.2

3.2.1 220V

220VAC

220VAC

1 220VAC

2

SJT

4

4.1

4.2

5

18

1.

2.

3.

4.